

GEARTEC MULTI 80W-90



TKM GM OIL GEARTEC MULTI 80W-90 – ÝEŇIL WE ÝÜK AWTOULAGLARYŇ MEHANIKI TRANSMISSIÝALARY ÜÇIN ÝOKARY HILLI ÝAG. DÜRLI HOWA ŞERTLERINDE ÝOKARY ÖNDÜRILJLIK GÖRKEZJILERINI ÜPJÜN EDÝÄN ÝÖRITE GOŞUNDYLAR PAKETINI ULANYP, ÝOKARY DEREJEDE ARASSALANAN MINERAL ÝAGLARY ESASYNDA ÖNDÜRILEN.

ÝOKARY ANTIOKSIDANT WE KÖPÜGE GARŞY HÄSIÝETLERINE EÝEDIR, AGYR ŞERTLERDE SÜRTÜLMÄNI WE KÖNELMÄNI AZALDYAR, HÄZIRKI ZAMAN WE IRKI TRANSMISSIÝALARDA ULANMAGA DEGIŞLIDIR.

RUS GM OIL GEARTEC MULTI 80W-90 – ВЫСОКОКАЧЕСТВЕННОЕ МАСЛО ДЛЯ МЕХАНИЧЕСКИХ ТРАНСМИССИЙ ЛЕГКОВЫХ И ГРУЗОВЫХ АВТОМОБИЛЕЙ. ПРОИЗВЕДЕНО НА ОСНОВЕ МИНЕРАЛЬНЫХ МАСЕЛ ВЫСОКОЙ ОЧИСТКИ С ПРИМЕНЕНИЕМ СПЕЦИАЛЬНОГО ПАКЕТА ПРИСАДОК, ОБЕСПЕЧИВАЮЩИХ ВЫСОКИЕ ЭКСПЛУАТАЦИОННЫЕ ПОКАЗАТЕЛИ В РАЗЛИЧНЫХ КЛИМАТИЧЕСКИХ УСЛОВИЯХ.

ОБЛАДАЕТ ВЫСОКИМИ ANTIОКИСЛИТЕЛЬНЫМИ И ПРОТИВОПЕННЫМИ СВОЙСТВАМИ, СНИЖАЕТ ТРЕНИЕ И ИЗНОС ПРИ НАГРУЗКАХ, ПОДХОДИТ К ПРИМЕНЕНИЮ КАК В СОВРЕМЕННЫХ, ТАК И БОЛЕЕ РАННИХ ТРАНСМИССИЯХ.

ENG GMOIL GEARTEC MULTI 80W-90 IS A HIGH-QUALITY OIL FOR MANUAL TRANSMISSIONS OF PASSENGER CARS AND TRUCKS. PRODUCED ON THE BASIS OF MINERAL OILS OF HIGH PURITY WITH THE USE OF A SPECIAL ADDITIVE PACKAGE THAT PROVIDES HIGH PERFORMANCE IN VARIOUS CLIMATIC CONDITIONS.

HAS A HIGH ANTI-OXIDATION AND ANTI-FOAMING PROPERTIES, REDUCES FRICTION AND WEAR UNDER LOAD, SUITABLE FOR USE IN BOTH MODERN AND EARLIER TRANSMISSIONS.

TŞ 01988964-09-2023



TECHNICAL SPECIFICATIONS/ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ/TEHNIKI HÄSIÝETLERI

	Synag usuly/ Метод/ Method	GEARTEC MULTI 80W- 90
Kinematik süýgeşikligi 100°C-da mm ² /s, çäklerde / Вязкость кинематическая при 100°C мм ² /с, в пределах / Kinematic viscosity at 100°C mm ² /s, within	TDS 33 ASTM D445	14,0-17,0
Süýgeşiklik indeksi az däl/ Индекс вязкости, не менее/ Viscosity index, not less than	TDS 25371 ASTM D2270	95
Doňma temperaturasy °C, ýokary däl/ Температура застывания °C, не выше/ Pour point °C, not higher	TDS 966 ASTM D97	-18
Ýalpyldama temperaturasy °C, pes däl/ Температура вспышки °C, не ниже / Flash point °C, no less than	TDS 4333 ASTM D92	220

Артикулы коды для заказа в магазинах:

GMOIL GEARTEC MULTI 80W-90 (1L) – 4833014580871
GMOIL GEARTEC MULTI 80W-90 (3L) – 4833014580888
GMOIL GEARTEC MULTI 80W-90 (4L) – 4833014580895
GMOIL GEARTEC MULTI 80W-90 (5L) – 4833014580901
GMOIL GEARTEC MULTI 80W-90 (20L) – 4833014580918



Индивидуальное предприятие «Гелджеге Мирас»

Адрес предприятия: Туркменистан, г. Ашхабад, Копетдагский этрап, проспект Героя Туркменистана Атамурада Ниязова, дом 149. Tel.: +993 12 414029 / E-mail: geljegemiras@gmail.com

“Geljege Miras” hususy kärhanasy

Kärhananyň salgysy: Türkmenistan, Aşgabat ş., Köpetdag etraby, Türkmenistanyň Gahrymany A.Nyýazow şaýoly, jaý 149. Tel.: +993 12 414029 / E-mail: geljegemiras@gmail.com

“Geljege Miras” Individual Enterprise

Company address: 149, Hero of Turkmenistan Atamurat Niyazov avenue,

